Ref	Hits	Search Query	DD.	 	Τ	
#		Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6297	(bismuth adj titanium adj silicon adj oxide) or BST	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/21 11:49
L2	2	1 and pyroclore	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/21 11:07
L3	9	pyroclore	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR ·	OFF	2005/02/21 11:07
L4	929	pyrochlore	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/21 11:19
L5	79	1 and pyrochlore	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/21 11:08
L6	3	(bismuth adj titanium adj silicon adj oxide) or (Bi adj Ti adj Si adj O)	US-PGPÜB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/21 12:09
L7	24	pyrochlore and ((bi or bismuth) with (titanium or Ti) with (silicon or si) with (oxide or oxygen or O))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/21 11:20
L8	3	(bismuth adj titanium adj silicon adj oxide)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/21 11:49
L9	1355	(bismuth with titanium with silicon with (oxide or oxygen)) or (Bi with Ti with Si with O)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/21 13:04
L10	4	9 same pyrochlore	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/21 12:08
L11	15	((bismuth adj titanium adj (oxide or oxygen)) or (Bi adj Ti adj O)) with (si or silicon)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/21 12:17
L12	1517	(501/134).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR .	OFF	2005/02/21 12:17

						
L13	63	12 and (silicon or si) and (bi or bismuth) and (oxygen or oxide or O) and (titanium or ti)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/21 12:20
L14	62	13 and (@ad<"20030806" or @rlad<"20030806")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/21 12:20
L15	11	12 and ((silicon or si) with (bi or bismuth) with (oxygen or oxide or O) with (titanium or ti))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/21 12:20
L16	11	15 and (@ad<"20030806" or @rlad<"20030806")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/21 14:58
L17	235	BLT and dielectric	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/21 13:05
L18	177	17 and (Si or silicon)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/21 13:06
L19	27163	BIT and dielectric	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/21 13:06
L20	285	(BIT with (Bi or bismuth)) and dielectric	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/21 13:07
L21	198	20 and (silicon or si)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/21 14:07
L22	83935	(bismuth titanate)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/21 14:07
L23	910	(bismuth adj titanate)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/21 14:08
L24	34	23 same modified	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF ,	2005/02/21 14:52

	T					
L25	6097	"bi.sub.2"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/21 14:53
L26	392	"26" with ("O.sub.6" or "O.sub.7" or "O.sub.8")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/21 14:56
L27	58	26 and (dielectric or ferroelectric)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/21 14:57
L28	840	25 with ("O.sub.6" or "O.sub.7" or "O.sub.8")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/21 14:59
L29	326	28 and (dielectric or ferroelectric)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/21 14:59
L30	325	29 and (@ad<"20030806" or @rlad<"20030806")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/21 14:59
L31	593	25 near4 ("O.sub.6" or "O.sub.7" or "O.sub.8")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR ´	OFF	2005/02/21 15:04
L32	213	31 and (dielectric or ferroelectric)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/21 14:59
L33	212	32 and (@ad<"20030806" or @rlad<"20030806")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/21 15:00
L34	8	31 with (si or silicon)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/21 15:05
L35	10884	((257/295,310) or (438/3) or (501/134) or (428/446,689,702)). CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/21 16:04
L36	76	35 and ((bi or bismuth) with (si or silicon) with (o or oxide or oxygen) with (ti or titanium))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/21 16:05

L37	52	36 and (dielectric or ferroelectric)	US-PGPUB;	OR	OFF	2005/02/21 16:05
			USPAT;		011	2003/02/21 10.03
			EPO; JPO;			
			IBM_TDB			



IEEE Xplore®	Ų	Nemb	ership	Publications/Services	Sta

Welcome Office

3	1 Million Documents 1 Million Users
	Live Circum
- >>	Saarch Baculta

		XI	D/C RELE)/C	(B)

		7	RELEASE 1.	United States Patent and Trac	lemark
elp	FAQ	<u>Terms</u>	IEEE Peer Review	Quick Links	
ielco	me to	IFFF Xnl	3FQ4		

O- Home O- What Can I Access?	A maximum of 500 results are displayed, 15 to a page, sorted by Relevance in Descending order.
O- Log-out	Refine This Search:
ables of Contents	You may refine your search by editing the current search expression or entering a new one in the text box.
O- Journals & Magazines	pyrochlore <and> bi <and> si <and> o</and></and></and>
Conference Proceedings	☐ Check to search within this result set
O- Standards	Results Key: JNL = Journal or Magazine CNF = Conference STD = Standard
earch	
C- Ry Author	·

¹ Effects of a $\mathrm{Bi_4Ti_3O_{12}}$ buffer layer on $\mathrm{SrBi_2Ta_2O_9}$ thin films prepared by the metal organic solution deposition technique Hu, G.D.; Xu, J.B.; Wilson, I.H.; Cheung, W.Y.; Ke, N.; Chan, W.K.; Wong, S.P.;

Applications of Ferroelectrics, 1998. ISAF 98. Proceedings of the Eleventh IEEE International Symposium on , 24-27 Aug. 1998 Pages:163 - 166

[Abstract] [PDF Full-Text (424 KB)] **IEEE CNF**

IEEE Enterprise

Basic

Member Services

O- Join IEEE

Establish IEEE Web Account Access the **IEEE Member Digital Library**

Advanced

CrossRef

Access the **IEEE Enterprise** File Cabinet

Print Format

dome | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account | New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online Publications | Help | FAQ| Terms | Back to Top

Copyright © 2004 IEEE - All rights reserved

Dial⊙g DataStar_⊙

options

logoff

Number of titles selected from other pages: 0

feedback

help

Documents 1 to 5 of 5 from your search "pyrochlore AND Si ADJ O" in all the available information:





databases

search page

Titles

To view one or many selected titles scroll down the list and click the corresponding boxes. Then click display at the bottom of of the page. To view one particular document click the link above the title to display immediately.

☐ Select All				
1 display full d	ocument	•		
2001. (INZZ) Effect of silicon o	n the microstruc	ture of pulsed laser ablated ferroelectric PbTiO/sub 3/ thin f	ilms.
☐ ² display full d	<u>ocument</u>			
1998. (INZZ) evaporation.) Dielectric propert	ies of Pb(Mg/sul	b 1/3/Nb/sub 2/3/)O/sub 3/ thin film prepared by ICP flas	h
☐ 3 display full d	<u>ocument</u>			
1993. (INZZ)	A TEM-EDX study	of sol-gel deriv	ed PLZT thin films.	
4 display full de	<u>ocument</u>			
1991. (INZZ)	Crystal chemistry	of six-coordinat	ted silicon: a key to understanding the Earth's deep interior.	
5 display full do	ocument	-		
1977. (INZZ)	High-pressure sili	cate pyrochlores	s, Sc/sub 2/Si/sub 2/O/sub 7/ and In /sub 2/Si/sub 2/C	0/sub 7/.
Selection	Display Format	Output Format	ERA SM Electronic Redistribution & Archiving	Action
from this	Full	⊕ HTML	Copies you will redistribute:	
page from all	C Free	C Tagged	Employees who will access archived record	display
pages	C Short	(for tables)	(s):	
- i	C Medium	O PDF	Help with ERA	save
	C Custom	C RTF	·	print preview
·	Help with	·		Same to a summing the
	<u>Formats</u>			
			<u> </u>	
				order
	Sort your	entire search r	esult by Publication year Ascending	sort
			ineas 1000 item 1862	god Panelyjikos piece i tra injety, (sek. 1

options

logoff

feedback

help







Titles

To view one or many selected titles scroll down the list and click the corresponding boxes. Then click display at the bottom of of the page. To view one particular document click the link above the title to display immediately.

-	73	т	2		
	 -		-	~	
Trans.	m	47	2000	CARLES.	
		41	23.		

(OUR	nents 741 to 754 of 754 from your search "((bi OR bismuth) AND (ti OR titanium) AND (si OR silicon) ANI I oxygen OR oxide)) AND (dielectric OR ferroelectric)" in all the available information: er of titles selected from other pages: 0
	Select All
☐ 74	1 display full document
	1988. (INZZ) Photorefractive materials.
7 74	display full document
	1988. (INZZ) The peculiarities of current-illumination characteristic and the photoconductivity kinetics in sillenite-type crystals.
☐ 74	3 display full document
	1988. (INZZ) Calculations of electron inelastic mean free paths for 31 materials.
<u> </u>	4 display full document
	1988. (INZZ) Dependence of inelastic electron mean free paths on electron energy and material.
□ 74	5 display full document
	1988. (INZZ) Inverse correlation between dielectric strength and dielectric constant for anodic oxides on valve metals.
☐ 74	6 <u>display full document</u>
	1987. (INZZ) Electret materials based on composites of ferroelectric ceramic and glass.
□ 74	7 display full document
	1987. (INZZ) Topical Meeting on Photorefractive Materials, Effects, and Devices. Technical Digest Series, Vol.17 (papers in summary form only received).
<u> </u>	8 <u>display full document</u>
	1986. (INZZ) Theory of the dielectric, elastic, and piezoelectric properties of crystals with the sillenite structure.
74	⁹ <u>display full document</u>
	1985. (INZZ) Dielectric properties of ceramic lead germanate derivatives.
<u> </u>	⁰ <u>display full document</u>
	1983. (INZZ) Near-millimeter refractive indices, absorption coefficients, and electrooptic coefficients in ferroelectric and other crystals.
<u> </u>	¹ <u>display full document</u>
	1979. (INZZ) Polarization reversal and film structure in ferroelectric Bi/sub 4/Ti /sub 3/O/sub 12/ films deposited on silicon .
75	² <u>display full document</u>
	1975. (INZZ) Ferroelectric field effect memory device using bismuth titanate film.
75 3	3 <u>display full document</u>
	1975. (INZZ) Ferroelectric field-effect memory device using Bi/sub 4/Ti/sub 3/O/sub 12/ film.
754	display full document

Dialog DataStaro

options

logoff

feedback

help



search





easy search

Advanced Search: INSPEC - 1969 to date (INZZ)

limit

Search history:

No.	Database	Search term	Info added since	Results	
1	INZZ	pyrochlore AND Bi ADJ Ti ADJ Si ADJ O	unrestricted	0	-
2	INZZ	pyrochlore	unrestricted	2352	show titles
3	INZZ	pyrochlore AND Si	unrestricted	245	show titles
4	INZZ	pyrochlore AND Si ADJ O	unrestricted	5	show titles

hide | delete all search steps... | delete individual search steps...

Enter your search term(s): <u>Search tips</u>		<i>j. 1</i>	-
	whole document	17	
Information added since: or: none (YYYYMMDD)		きなる	
		*	•

Select special search terms from the following list(s):
Classification codes A: Physics, 0-1
Classification codes A: Physics, 2-3
Classification codes A: Physics, 4-5
Classification codes A: Physics, 6
Classification codes A: Physics, 7
Classification codes A: Physics, 8

Classification codes A: Physics, 9
Classification codes B: Electrical & Electronics, 0-5
Classification codes B: Electrical & Electronics, 6-9


Classification codes C: Computer & Control
Classification codes D: Information Technology
Classification codes E: Manufacturing & Production

Treatment codes
INSPEC sub-file
Publication types
Language of publication

oduction

Top - News & FAQS - Dialog

44000000					
ELSEVIER	SCIENCE DIRECT	Register or Login	n: user name	Password:	
Home	Search Journals Books	Abstract Datab	ases My Profile	Alerts	② Help
Quick Sea	arch:	within All Ful	II-text Sources 🔽 😡	② Search	
	•				s 1 - 70
70 Aı	ticles Found		·		
TITLE-A	BSTR-KEY(Bi and Ti and O)				
Edit Sea	arch Save Search Save as	Search Alert			Sear
t (q	isplay checked docs 🔁 e-mail article	s) 🕞 export citations	View: Citations		Sort By
1. 🗀	Preparation and properties	s of (Bi _{1/2} Na _{1/2})7	ΓiO ₃ -Ba(Ti,Zr)O ₃	lead-free	-
-	piezoelectric ceramics • SH Materials Letters, In Press, Chune Peng, Jing-Feng Li an Abstract	ORT COMMUNIC Corrected Proof,	ATION		2005,
2. 🗍	Preparation of BiMeVO _x (lefectrolyte and behavior of Sensors and Actuators B: Che Proof, Available online 16 F. H.S. Cho, G. Sakai, K. Shim SummaryPlus Full Text +	their oxygen con nemical, In Press, Tebruary 2005, anoe and N. Yam	centration cells • Corrected azoe		
3.	Changes in the concentration leaf senescence and decompare Forest Ecology and Manager Pages 167-177 Germund Tyler Abstract	position in a Fagi	us sylvatica forest	• ARTICLE	
4. 🗖	Effect of composition on the Ti ₂ AlNb-based titanium alu	e mechanical pro aminide • ARTIC	roperties of newly developed CLE	eveloped	
	Intermetallics, In Press, Corn L. Germann, D. Banerjee, J.Y Abstract	rected Proof, Ava (. Guédou and J	<i>ilable online 8 Febr</i> L. Strudel	ruary 2005,	
5. 🗀	Polarization comparison of ARTICLE Materials Science and Engine Proof, Available online 5 Feb	eering B, In Pres s		ferroelectr	rics •



document 1 of 5 Order Document

INSPEC - 1969 to date (INZZ)

Accession number & update

6916431, A2001-11-6855-087, B2001-06-2810F-024; 20010507.

Title

Effect of silicon on the microstructure of pulsed laser ablated ferroelectric PbTiO/sub 3/ thin

Author(s)

Banerjee-R; Purandare-S-C; Palkar-V-R; Pinto-R.

Author affiliation

Dept of Condensed Matter Phys & Mater Sci, Tata Inst of Fundamental Res, Bombay, India.

Journal-of-Physics-D (Applied Physics)(UK), vol.34, no.7, p.1037-43, 7 April 2001., Published: IOP Publishing.

CODEN

JPAPBE.

ISSN

ISSN: 0022-3727, CCCC: 0022-3727/2001/071037+07 (\$30.00).

Availability

SICI: 0022-3727(20010407)34:7L.1037:ESMP; 1-Y

Electronic Journal Document Number: S0022-3727(01)18023-X.

Publication year

2001.

Language

EN.

Publication type

J Journal Paper.

Treatment codes

P Practical; X Experimental.

Abstract

Ferroelectric thin films of lead titanate (PbTiO/sub 3/) have been deposited on silicon substrates using pulsed laser ablation. The targets from which the films were deposited consisted of lead titanate added with different amounts of silicon, the motivation being to reduce the formation of the non-ferroelectric interfacial layer of the **pyrochlore** phase, which is detrimental to the properties of the film. Using transmission electron microscopy, a detailed microstructural characterization of the films has been carried out. Films deposited from targets, added with ~2 mol% **Si**, exhibit an interconnected network of perovskite grains encompassing pockets of an amorphous **Si-O** rich phase. The grains of the perovskite phase are equiaxial. In addition, fine grains of the **pyrochlore** phase were observed within the pockets of the amorphous phase. Increasing the level of **Si** to ~10 mol% in the lead titanate target results in films which exhibit needle-like grains of the perovskite phase dispersed in an amorphous **Si-O** rich matrix. These needle-like grains are no longer interconnected. The effect of silicon on the phase evolution in these films and the consequent effect on the ferroelectric properties have been discussed in this paper. (10 refs).

Descriptors

<u>crystal-microstructure</u>; <u>ferroelectric-materials</u>; <u>ferroelectric-thin-films</u>; <u>lead-compounds</u>; <u>pulsed-laser-deposition</u>; <u>substrates</u>.

Keywords

microstructure; pulsed laser ablated ferroelectric PbTiO3 films; **Si** substrates; non ferroelectric interfacial layer; **pyrochlore** phase; transmission electron microscopy; perovskite grains; needle like grains; PbTiO3; **Si**.

Classification codes

A6855	(Thin film growth, structure, and epitaxy).
A7780	(Ferroelectricity and antiferroelectricity).
A7755	(Dielectric thin films).
A8115I	(Pulsed laser deposition).
A6480G	(Microstructure).
B2810F	(Piezoelectric and ferroelectric materials).
B0520H	(Pulsed laser deposition).


Chemical indexing

PbTiO3 ss, TiO3 ss, O3 ss, Pb ss, Ti ss, O ss; Si sur, Si el.

Copyright statement

Copyright 2001, IEE.

COPYRIGHT BY Inst. of Electrical Engineers, Stevenage, UK




Top - News & FAQS - Dialog

© 2005 Dialog

SCI	earch Journals Books Abstract Databases My Profile Alerts	elp
ome. Se	within All Full-text Sources Go (2) Search Tips	
ick Search	results 1 -	9
Artic	les Found	
	STR-KEY(Bi and Ti and Si and O)	Sear
tit Searc	h Save Search Save as Search Alert	
Transfer A		ort By
_ disp	e-mail articles Checked docs Permail articles Checked docs	
	Oxidative dehydrogenation of isobutane on chromium oxide-based catalyst •	
1. 🗀	ARTICLE In Press Corrected	
	ARTICLE Chemical Engineering and Processing, In Press, Corrected Chemical Engineering 18 January 2005.	
	Proof, Available online 18 January 2005, B.Y. Jibril, N.O. Elbashir, S.M. Al-Zahrani and A.E. Abasaeed	
	<u>Abstract</u>	
	Preparation of Ba(Pb _{1-x} Bi _x)O ₃ electrode thin films by rf magnetron	
2. 🗀	Preparation of Ba(FD _{1-x} D _{1-x}) 3	
	sputtering • ARTICLE Ceramics International, Volume 30, Issue 7, 2004, Pages 1089-1093 Ceramics International, Normoto and T. Shiosaki	
	Ceramics International, Volume 30, 18840 Y, T. Shiosaki T. Nishida, I. Kawakami, M. Norimoto and T. Shiosaki	
	<u>Abstract</u>	
	Microwave dielectric properties of glass-ceramic composites for low	
3. 🗀	temperature co-firable ceramics • ARTICLE to the European Ceramic Society, Volume 23, Issue 14, 2003, Journal of the European Ceramic Society, Volume 23, Issue 14, 2003,	
	Journal of the European Ceramic Secretary, Pages 2553-2558 Forg Usieh and I-Nan Lin	
	Pages 2553-2558 Chung-Chin Cheng, Tsung-Eong Hsieh and I-Nan Lin	
	Abstract	
	Composition control of SBN thin films deposited by PLD on various	
4.	substrates • ARTICLE International Journal of Inorganic Materials, Volume 3, Issue 8, December 200	91,
	International Journal of Inorganic Materials,	
	Pages 1133-1135 J. R. Duclère, M. Guilloux-Viry, A. Perrin, C. Clerc, F. Lalu, J. Lesueur, S. M.	
	Zanetti, V. Bouquet and E. Longo	
	Abstract	_
5. [A study of ortho- and para-siloxyanilines for the synthesis of mono-, bi-, at tetra-nuclear early transition metal-imido complexes • ARTICLE tetra-nuclear early transition metal-imido complexes 1-2, 22 September	nd
	1 A STROVING CHAPTER AND PROPERTY 1 A DTILLE.	2000,





9 Articles Found

TITLE-ABSTR-KEY(Bi and Ti and Si and O)

Edit Search | Save Search | Save as Search Alert

regults 1 - 9

Home: Search Journals, Books Abstract Databases My Profile: Alerts

Help

Feedback | Terms & Conditions | Privacy Policy

Copyright © 2005 Elsevier B.V. All rights reserved. ScienceDirect® is a registered trademark of Elsevier B.V.



pyrochlore phase "Bi Ti Si O"

Local^{New!}

Froogle

Advanced Search

more »

Web

Tip: Try removing quotes from your search to get more results.

Your search - pyrochlore phase "Bi Ti Si O" - did not match any documents.

Suggestions:

- Make sure all words are spelled correctly.
- Try different keywords.
- Try more general keywords.
- Try fewer keywords.

Also, you can try Google Answers for expert help with your search.

Google Home - Advertising Programs - Business Solutions - About Google

©2005 Google